
EVA-07S-S Pro Earth

No Earthing Required







- New simple inspection chamber
- Market beating pricing



STABLE

IP65 protection grade, capable for harsh environmental conditions



INTELLIGENT

Intelligent power adjustment, emergency stop, Wifi/APP/ethernet monitoring



TIME SHIFTING

You could save 100's per year by utilising off peak energy tariffs to charge your vehicle



















Input & Output

Input voltage 230V AC
Input frequency 50/60HZ

Output voltage 230V AC

Max. output power 7.3KW

Max. output current 32A

Charging interface type IEC 62196-2,Type 2



Protection

Over voltage protection Yes

Under voltage protection Yes

Over load protection Yes

Short circuit protection Yes

Earth leakage protection Yes

Over-temp protection Yes

Lightning protection Yes

Function and Accessory

Ethernet/WIFI/4G Yes/Yes/Opt
Connector Socket/Plug

LCD Opt

RCD Type A +6mA DC fault current protection

(Equivalent to Type B)

Emergency stop button Yes
Intelligent power adjustment Opt
RFID Opt



LED Indicator light

Protection degree IP65

Environment temperature -25°C~+50°C

Relative humidity 0-95%non-condensing

Maximum altitude <2000m

Cooling Natural air cooling

Standby power consumption <8W

Mechanical

Dimension (W/H/D) 240/380/145mm

Weight <7KG

Mounting Accessories

Wall-mounting Yes

Ground-mounting pole Opt

Oρ

Certification

Certificate CE







